



Brockway Carpets Limited
Kidderminster
UK
(01562) 828200
Web: www.brockway.co.uk

Florian

Total Pile Weight	2034gms/sq.m (60oz/sq.yd)
Tog Rating	2.05
Construction	Tufted
Finished Tuft Length	25.4mm (1 Inch)
Pile Height Above Backing	11mm (0.43 inches)
Pile Fibre Content	80% Pure New Wool, 10% Virgin Nylon 10% Low Melt Polyester
Tuft Density	1474/sq.dcm (95/sq.ins)
Gauge	31.50/dcm (8/inch)
Stitches	46.8/dcm (11.9/inch)
Widths	4.00m + 5.00m (13ft 1ins + 16ft 4ins)
Primary Backing:	Woven Polypropylene
Laminate:	EnviroBac Method (utilising polyolefins)
*Total Carpet Weight	2645 gms/sq.m. 78oz/sq.yd.
*Total Carpet Weight is subject to variation depending on Backing Materials	
Secondary Backing:	Woven Polypropylene
Recommended Performance:	Extra Heavy Domestic & General Contract
Colour Fastness:	Light, Shampoo, Dry Rub and Wet Rub to the currently enforced Performance Rating Standards (ISO, EN, BS)
Mothproofing:	Guaranteed
Flammability:	LOW - BS4790 Hot Metal Nut
Dynamic Loading: (per 1000 impacts)	2.6mm